


UNITEX


Glass Automotive • Architectural



- A high value finished product demands a high quality squeegee for perfect results and reduced product defects.
- Ulon HP is an excellent squeegee for screen printing onto glass substrates using enamels which are fired permanently into the surface of the glass.
- Ulon HP is also ideal for the frequently abrasive cold ceramic 'Frit' water-based inks used in Architectural Glass applications.
- Composite 500/1 in (55-60) Hardness when a large amount of ink deposits is required onto the substrate with good tip control.
- 500/4 (70-75) Hardness when the definition detail is fine.

Size: 3350mm (132") x 50mm x 9.0mm
 3200mm (126") x 50mm x 9.0mm
 (Composite)
 Custom sizes as required

Profile: Plain
 Plain Composite
 (Used when a soft tip is required with greater control)
 DKE/Composite




Unitex Squeegee: ULON HP

Hardness:

Ulon HP

PU500/1	PU500/3	PU500/4	PU500/8
55-60°	60-65°	70-75°	75-80°
YELLOW	RED	GREEN	BLUE



More ink - thicker lines Less ink - greater detail

The recommendations are gained from over 50 years of Unitex experience in the Screen Print Industry. The suggestions will work right away but some fine tuning using the screen printers expertise may be required for optimum results.

The Technical Department at Unitex is always available for help and advice. See www.unitex.co.uk - **Contacts**.

UNITEX

Trelleborg Applied Technology

Halfpenny Lane • Knaresborough • North Yorkshire • HG5 0PP • United Kingdom.
 Telephone +44 (0)1423 862677 • Fax +44 (0)1423 868340 • www.unitex.co.uk