



Certificate of constancy of performance

0402 - CPR – 311406

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

Resilient, textile and laminate floor coverings

for use as internal floor coverings

Resilient rubber floor covering consisting of non-woven polyester backing, base layer of SBR rubber and profiled top layer SBR rubber. Total nominal thickness 3.0 mm and nominal area weight 3.7 kg/m².

Reaction to fire class C_{fl}-s1

Product name: Checker

placed on the market under the name or trademark of

Trelleborg Industri AB

Johan Kocksgatan 10

SE-231 81 Trelleborg

Sweden

and produced in the manufacturing plant

same as above

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

EN 14041:2004/AC:2006

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 2006-10-02 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

2016-11-16

**SP Technical Research Institute of Sweden
Certification, Notified Body No. 0402**

Johan Åkesson
Product Certification Manager

Magnus Sturesson
Certification officer