



# Certificate of constancy of performance

0402 - CPR – 311405

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

## **Resilient, textile and laminate floor coverings**

for use as internal floor coverings

**Resilient rubber floor covering consisting of non-woven polyester backing, base layer of SBR rubber and profiled top layer SBR rubber. Total nominal thickness 3.5 mm and 2.5 mm, nominal area weight 4.5 kg/m<sup>2</sup> and 3.1 kg/m<sup>2</sup>.**

Reaction to fire class C<sub>fl</sub>-s1

### **Product name: Checker Stud and Checker Pastille**

placed on the market under the name or trademark of

**Trelleborg Industri AB**

**Johan Kocksgatan 10**

**SE-231 81 Trelleborg**

**Sweden**

and produced in the manufacturing plant

**same as above**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

**EN 14041:2004/AC:2006**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 2006-10-02 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

2016-11-16

**SP Technical Research Institute of Sweden  
Certification, Notified Body No. 0402**

Johan Åkesson  
Product Certification Manager

Magnus Sturesson  
Certification officer